Monkeypox Symptoms and Information

The following instructions are provided to assist you in safely caring for yourself or others who are infected or potentially infected with Monkeypox. For additional information: www.cdc.gov/monkeypox

What is Monkeypox?

- Monkeypox is a disease caused by infection with the monkeypox virus.
- Despite being named "monkeypox," the source of the disease remains unknown. African rodents and non-human primates (like monkeys) might harbor the virus and infect people.
- The virus can spread from person-to-person through direct contact with the infectious rash/lesions, scabs, or body fluids or by touching items (such as clothing or linens) that previously touched the infectious rash or body fluids. It also can be spread by respiratory secretions during prolonged, face-to-face contact (within a 6-foot radius for >3 hours), or during intimate physical contact, such as kissing, cuddling, or sex.
- Monkeypox symptoms can range from mild symptoms that resolve without treatment to more severe illness.
- Monkeypox can be spread to others from the time symptoms start until the rash has healed, all scabs have fallen off, and a fresh layer of skin has formed. The illness typically lasts 2-4 weeks

What are the symptoms?

- Early symptoms may include:
 - Fever or chills
 - Swollen lymph nodes
 - o Headache, muscle aches, backache
 - o Exhaustion
 - Respiratory symptoms (e.g., sore throat, nasal congestion, cough)
- New rash or sores in the mouth or on the face, hands, feet, chest or genitals. The rash can look like pimples or blisters and may be painful or itchy
 - ** Some people may get a rash or sores first, followed by other symptoms. Others may only experience a rash/sores.

What should I do if I was exposed to a person or animal with monkeypox or if I have symptoms of Monkeypox illness?

- Contact a Healthcare Provider as soon as possible for further instructions.
 - BU Health Center: 570-389-4451
 - PA Department of Health: 1-877-724-3258
 - Primary Care Provider (PCP)

Preventing the Spread of Monkeypox:

- If you were exposed to a person or animal with confirmed or probable Monkeypox, <u>but have no symptoms</u>
 - You do not need to isolate, but will monitor yourself for symptoms and take your temperature twice daily using the attached Monitoring Log.
 - If you develop any new symptoms, self-isolate and contact a healthcare provider as soon as possible for further direction.
- If you have confirmed or probable Monkeypox illness, you should isolate away from others until the sores are healed and a fresh layer of skin has formed.
 To protect yourself and others:

Separate yourself from other people

As much as possible, you should stay in a specific room and away from other people and animals in your home. Try to stay at least 6 feet away from others at all times. Also, you should use a separate bathroom, if available.

• Stay in your house except to get medical care

If you have symptoms, you should not go to work, school, or public areas. Avoid using public transportation.

Wear a facemask and cover rash/sores

You should wear a facemask (over your nose and mouth) when you are around other people or animals in your home (e.g., sharing a room or vehicle) or pets, and before you enter a health care provider's office. Cover rashes/sores to the extent possible with bandages and/or wear long sleeves and pants

Personal hygiene

Avoid the use of contact lenses to prevent infection of the eyes and avoid shaving areas with rash or sores to prevent spread of the virus. Change your own bandages whenever possible; consider wearing gloves.

Avoid sharing household items

Do not share dishes, drinking glasses, cups, eating utensils, clothing, towels or bedding with other people or pets. After using these items, they should be washed thoroughly with soap and water.

Routinely clean all high touch surfaces

Clean all high touch surfaces including counters, tabletops, doorknobs, light switches, bathroom fixtures, toilets, phones, keyboards, tablets, and bedside tables with an EPA-registered (https://www.epa.gov/pesticide-registration/disinfectants-emerging-viral-pathogens-evps-list-q) household cleaning product following the manufacturer's instructions for safe and effective use. Avoid contaminating upholstered furniture and other porous materials that cannot be laundered.

Clean your hands often

Wash your hands often with soap and water for at least 20 seconds or clean your hands with an alcohol-based hand sanitizer that contains 60 to 95% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry. Soap and water should be used preferentially if hands are visibly dirty.

• Take the following steps to prevent getting Monkeypox

- Avoid close, skin-to-skin contact with people who have a rash that looks like monkeypox.
 - Do not touch the rash or scabs of a person with monkeypox.
 - Do not kiss, hug, cuddle or have sex with someone with monkeypox.
- Avoid contact with objects and materials that a person with monkeypox has used.
 - Do not share eating utensils or cups with a person with monkeypox.
 - Do not handle or touch the bedding, towels, or clothing of a person with monkeypox.
- Wash your hands often with soap and water or use an alcohol-based hand sanitizer, especially before eating or touching your face and after you use the bathroom.

Symptom management

Take your temperature daily and if your temperature is above 100.4, take acetaminophen (Tylenol) according to the directions. DO NOT TAKE TYLENOL IF YOU ARE ALLERGIC TO ACETAMINOPHEN (TYLENOL). Drink plenty of fluids and rest.

- If your symptoms worsen and it is during regular business hours, call the BU Student Health Center. If it is after hours or on a weekend, you can call your PCP, the Geisinger Bloomsburg Hospital Emergency Department or the ConvenientCare for steps regarding what to do, or dial 911.
- The Student Health Center is not able to provide emergency care, 24-hour service, or afterhours oncall service. The local Urgent Care and Emergency Department are available across the street from Bloomsburg University (phone numbers are listed below).
- If you have a medical emergency and need to call 911, notify the dispatch personnel that you have Monkeypox or symptoms of Monkeypox. If possible, put on a facemask and cover rash/sores before emergency medical services arrive.

Discontinuing Isolation

• Students should remain under Isolation as directed by their healthcare provider. The decision to discontinue isolation or quarantine precautions is made on a case-by-case basis, in consultation with health care providers and state and local health departments.

Important Phone Numbers

BU Student Health Center: 570-389-4451 BU Counseling Center: 570-389-

4255

BU Residence Life: 570-389-4089

Geisinger Bloomsburg Hospital ER: 570-387-2111 Geisinger Bloomsburg ConvenientCare: 570-416-1890 PA Department of Health: 1-877-724-3258 Bloomsburg University Police: 570-389-2211

Please call to make an appointment at the Student Health Center or with your PCP or go to Urgent Care or the Emergency Department if your concerns do not improve with conservative self-care treatment or if you have worsening symptoms.

Please know your health problem and allergies. Information contained in this handout is for educational purposes only. It is not a substitute for evaluation and treatment by a Healthcare professional. As new and updated information becomes available, the content may change. Please contact your Healthcare Provider or the SHC Triage Nurse at 570-389-4451 with any questions.

Bloomsburg University Student Health Center, Room 324 Kehr Union Building, Bloomsburg, PA 17815 Phone: 570-389-4451 FAX: 570-389-3417

Monkeypox Symptoms and Information

Developed 8/2022